

REMARKS

Applicants respectfully request the Examiner to withdraw the finality of the office action mailed 10/06/2004 because the Examiner introduced a new ground of rejection. In particular, the Examiner rejected claim 36 under 35 U.S.C. §103(a) over Lloyd in view of Reimann, because “[i]t would have been obvious to one having ordinary skill in the art at the time the invention was made to employ a laminate as taught by Reimann to modify the insulator of Lloyd in order to provide internal connections of internal circuits formed inside and reduce strength.” Since the Examiner had not previously presented this argument, and since the new argument was not necessitated by an amendment of claim 36, Applicants view the finality of the office action as improper under MPEP 706.07(a). Therefore, Applicants respectfully request the Examiner to convert the office action mailed 10/06/2004 from a final office action to a non-final office action.

The Examiner objected to claims 23, 29-30, 32 and 35 “as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.” Applicants gratefully acknowledge the Examiner’s indication of allowable subject matter and have so rewritten claims 23, 29, and 30 in independent form.

The Examiner rejected claims 27, 28, and 31 under 35 U.S.C. §102(b) as allegedly being anticipated by Reimann (U.S. Patent 4,663,497).

The Examiner rejected claims 21-22, 24 under 35 U.S.C. §103(a) as allegedly being unpatentable over Lloyd (‘523) in view of Watanabe et al. (U.S. Patent 5,319,159).

The Examiner rejected claim 36 under 35 U.S.C. §103(a) as allegedly being anticipated

09/884,778

11

by Lloyd (U.S. Patent 3,601,523) in view of Reimann ('497).

The Examiner rejected claim 37 under 35 U.S.C. §103(a) as allegedly being anticipated by Curcio et al. (U.S. Patent 6,504,111) in view of Condensed Chemical Dictionary of Hawley's (hereafter CCD).

The Examiner rejected claims 38-39 under 35 U.S.C. §103(a) as allegedly being anticipated by Rosenthal et al. (US Patent 3,105,729) in view of Reimann ('497).

Applicants respectfully traverse the §102 and §103 rejections with the following arguments.

35 U.S.C. §102(b): Claims 27, 28, and 31

The Examiner rejected claims 27, 28 and 31 under 35 U.S.C. §102(b) as allegedly being anticipated by Reimann (US Patent 4,663,497).

Applicants respectfully contend that Reimann does not anticipate claim 27, because Reimann does not teach each and every feature of claim 27. For example, Reimann does not teach "wherein the lower portion of the conductive element comprises a **conductive material**, and wherein the upper portion of the conductive element comprises **the conductive material**" (emphasis added).

The language in the preceding feature of claim 27 requires the lower portion and upper portion of the conductive element to comprise the same conductive material. However, the Examiner alleges that in Reimann, the conductive material 38 represents the lower portion of the conductive element of claim 27, and the conductive resist 40 represents the upper portion of the conductive element of claim 27. Reimann states in very strong language that the conductive material 38 and the conductive resist 40 cannot comprise the same conductive material. See Reimann, col. 2, lines 47-50, which recites: "While the conductive cladding and conductive via material may be of the same substance, the resist material must be of a composition which is different therefrom." Accordingly, Applicants maintain that Reimann does not anticipate claim 27.

In "Response to Arguments", the Examiner asserts: "Examiner discloses in the previous Office action of portion #2, page 2 that the lower and upper portion of the conductive element, each made by conductive material, see column 4, lines 7-11, the lower portion (38) made by a copper, which is a conductive material, and the upper portion (40) made by metallic/conductive

09/884,778

13

resist, which is the conductive material. Even though, copper is different from metallic/conductive resin, but they are conductive material. Further, Applicant does not specifically claimed the specific type of the conductive material in claim 27. Therefore, it is believes the Reimann reference disclosed these limitations as discuss as above."

In response to the preceding assertion by the Examiner in "Response to Arguments", Applicants point directly to the claim language in claim 27. The first feature in claim 27 of "wherein the lower portion of the conductive element comprises a conductive material" establishes an antecedent basis for "a conductive material". The second feature in claim 27 of "wherein the upper portion of the conductive element comprises the conductive material" refers to "the conductive material" which has antecedent basis in "a conductive material" recited in the first feature in claim 27. Therefore, by well-established rules of claim construction, "the conductive material" of the second feature in claim 27 is unconditionally required to be the same conductive material as "a conductive material" in the first feature of claim 27.

Based on the preceding arguments, Applicants respectfully maintain that Reimann does not anticipate claim 27, and that claim 27 is in condition for allowance. Since claims 28 and 31 depend from claim 27, Applicants contend that 28 and 31 are likewise in condition for allowance.

35 U.S.C. §103(a): Claims 21-22 and 24

The Examiner rejected claims 21-22 and 24 under 35 U.S.C. §103(a) as allegedly being unpatentable over Lloyd ('523) in view of Watanabe et al. (U.S. Patent No. 5,319,159).

Applicants respectfully contend that claim 21 is not unpatentable over Lloyd in view of Watanabe, because Lloyd in view of Watanabe does not teach or suggest each and every feature of claim 21. For example, Lloyd in view of Watanabe does not teach or suggest the feature: "a portion of at least one end of the conductive element extends beyond a surface of the laminate" and "applying a compressive pressure to the portion of the at least one end of the conductive element, wherein the compressive pressure applied to the portion of the at least one end of the conductive element forms a contact pad extending beyond the surface of the laminate".

The Examiner argues that "Lloyd discloses ... pressing a conductive element (15 and 16, column 3, lines 9, and 30-32), see figure 4, into the opening (14) such that a portion of at least one end of the conductive element extends beyond a surface of the laminate; applying a compressive pressure to the at least one end of the conductive element (15, 16), see column 3, lines 20-24 whereby the compressive pressure applied to the at least one end of the conductive element (15, 16) forms a contact pad (35, 37, column 3, lines 37-38) extending beyond a surface of the laminate (10), see figure 6".

Applicants interpret the preceding argument by the Examiner to assert that reference numeral 10 in FIGS. 1-6 of Lloyd represents the laminate of claim 21, so that the portion of the conductive element 15 in Lloyd, FIG. 3 that exists within the upper and lower boundaries of the conductor 11 extends beyond a surface of the alleged laminate 10 as required by claim 21.

In response, Applicants disagree with the Examiner's interpretation of the numeral 10 in FIGS. 1-6 of Lloyd as representing the laminate of claim 21, because Lloyd discloses on col. 2, line 65 that the reference numeral 10 represents an insulating layer and not a laminate.

Accordingly, Applicants interpret the laminate of FIGS. 1-6 of Lloyd to comprise the insulating layer 10 and the conductor 11, which leads to the conclusion that the conductive element 15 in Lloyd, FIG. 3 does not extend beyond a surface of the laminate as required by claim 21.

Therefore, the issue before us is whether the insulating layer 10 can be construed as a laminate. A laminate is "a laminated product, a plywood". The American Heritage Dictionary 712 (2d ed. 1985), Houghton Mifflin Company, Boston. To laminate is "[t]o make by uniting into several layers". *Id.* Thus, a laminate must comprise at least two layers laminated together, which is not satisfied by the insulating layer 10 of Lloyd since the insulating layer 10 is only a single layer. Therefore, Applicants respectfully maintain that the insulating layer 10 of Lloyd is not a laminate and the Examiner's argument is accordingly not persuasive in relation to claim 21.

Applicants additionally cite the Examiner as admitting on page 5, line 15 of the office action that the insulating layer 10 is not a laminate.

Based on the preceding arguments, Applicants respectfully maintain that claim 21 is not unpatentable Lloyd in view of Watanabe, and that claim 21 is in condition for allowance. Since claims 22 and 24 depend from claim 21, Applicants contend that claims 22 and 24 are likewise in condition for allowance.

35 U.S.C. §103(a): Claim 36

The Examiner rejected claim 36 under 35 U.S.C. §103(a) as allegedly being anticipated by Lloyd (U.S. Patent 3,601,523) in view of Reimann (U.S. Patent 4,663,497).

As an initial point, Applicants maintain that the rejection of claim 36 is improper because a claim cannot be anticipated under 35 U.S.C. §103(a) and also because a claim cannot be anticipated by a combination of references.

In addition, Applicants respectfully contend that the Examiner's argument for combining Lloyd and Reimann is not persuasive. The Examiner argues without providing any supporting evidence from the prior art: "It would have been obvious to one having ordinary skill in the art at the time the invention was made to employ a laminate as taught by Reimann to modify the insulator of Lloyd in order to provide internal connections of internal circuits formed inside and reduce strength."

Instead of supplying a prior art reference to support the preceding argument, the Examiner alleges: "It is very well known to use laminated as an insulation to allow the insertion of internal layers such as conductive or insulating layers in order to provide internal connections of internal circuits formed inside and reduce strength."

In response, Applicants respectfully challenge the Examiner's allegation that "[i]t is very well known to use laminated as an insulation to allow the insertion of internal layers such as conductive or insulating layers in order to provide internal connections of internal circuits formed inside and reduce strength". Accordingly, Applicants respectfully request that the Examiner supply adequate evidentiary support as required by MPEP 2144.03C.

Furthermore, Applicants further contend that the phrase "reduce strength" is ambiguous

and requires clarification.

Furthermore, Applicants contend that Lloyd does not teach or suggest a need to provide internal connections of internal circuits formed inside and reduce strength.

Moreover, the Examiner has not supplied a legally persuasive argument as to why a person of ordinary skill in the art would modify Lloyd by the alleged teaching of Reimann in relation to claim 36. In particular, established case law requires that the prior art must contain some suggestion or incentive that would have motivated a person of ordinary skill in the art to modify a reference or to combine references. See *Karsten Mfg. Corp. V. Cleveland Gulf Co.*, 242 F.3d 1376, 58 U.S.P.Q.2d 1286, 1293 (Fed. Cir. 2001) ("In holding an invention obvious in view of a combination of references, there must be some suggestion, motivation, or teaching in the prior art that would have led a person of ordinary skill in the art to select the references and combine them in a way that would produce the claimed invention"). See also *In re Gordon*, 733 F.2d 900, 902, 221 U.S.P.Q. 1125, 1127 (Fed. Cir. 1984) ("The mere fact that the prior art could be so modified would not have made the motivation obvious **unless the prior art suggested the desirability of the modification.**"). The Examiner has not made any showing of where the prior art suggests employing a laminate "in order to provide internal connections of internal circuits formed inside and reduce strength". Thus, the Examiner has provided a reason for the combination by speculation, and not by teachings of the prior art. By not citing any suggestion or incentive in the prior art employing a laminate "in order to provide internal connections of internal circuits formed inside and reduce strength", the Examiner has failed to establish a *prima facie* case of obviousness in relation to claims 36.

Based on the preceding arguments, Applicants respectfully maintain that claim 36 is not

09/884,778

18

unpatentable over Lloyd in view of Reimann, and that claim 36 is in condition for allowance.

09/884,778

19

35 U.S.C. §103(a): Claim 37

The Examiner rejected claim 37 under 35 U.S.C. §103(a) as allegedly being anticipated by Curcio et al. (U.S. Patent 6,504,111) in view of Condensed Chemical Dictionary of Hawley's (hereafter CCD).

As an initial point, Applicants maintain that the rejection of claim 37 is improper because a claim cannot be anticipated under 35 U.S.C. §103(a) and also because a claim cannot be anticipated by a combination of references.

In addition, Applicants respectfully contend that claim 37 is not unpatentable over Curcio in view of CCD, because Curcio in view of CCD does not teach or suggest each and every feature of claim 37. For example, Curcio in view of CCD does not teach or suggest "a bonding layer between the first and second laminates such that the contact pads of the first and second conductive elements are electrically connected, wherein the bonding layer comprises conductive metal filled epoxy".

The Examiner admits: "Curcio discloses the claimed invention, except for specifying that the thermosetting resin/polymer is epoxy."

The Examiner argues: "Epoxy is one of the best-known thermo sets in the electronic industry used in circuit boards. CCD shows epoxy resin as adhesives for composites and for metals glass, and ceramics disclosed in page 450, column 1.... It would have been obvious to one having ordinary skill in the art at the time the invention was made to have epoxy to provide the thermosetting resin/polymer of Curcio, as taught by CCD, because the epoxy is well known thermosetting material for use in the circuit boards for the purpose of providing a high coefficient of thermal expansion, since it has been held to be within the general skill of a worker in the art to

select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416.”

In response, Applicants contend that the preceding argument by the Examiner is not persuasive for at least the following reasons. A first reason that the preceding argument by the Examiner is not persuasive is that the Examiner has made an unsupported allegation of what is “best-known” which Applicants hereby dispute and respectfully request that the Examiner provide adequate evidentiary support as required by MPEP 2144.03C. The Examiner’s reference to CCD showing that epoxy resin are known as adhesives for composites and for metals glass, and ceramics does not establish that epoxy is “one of the best-known thermo sets in the electronic industry used in circuit boards”.

A second reason that the preceding argument by the Examiner is not persuasive is that the Examiner has not alleged or supported the use of an conductive metal filled epoxy for use as a bonding layer for electrically connecting contact pads as is required in claim 37.

A third reason that the preceding argument by the Examiner is not persuasive is that the Examiner has not provided any evidence from the prior art to support the alleged motivation to have an conductive metal filled epoxy for use as a bonding layer for electrically connecting contact pads for the reason of having a high coefficient of thermal expansion. First, the phrase “high coefficient of thermal expansion” is ambiguous since the Examiner has not specified the scope of “high”. Second, the Examiner has not shown motivation found in the prior art for having a high coefficient of thermal expansion in a bonding layer for electrically connecting contact pads. Third, the Examiner argues the use of epoxy as an obvious design choice for the purpose of providing a high coefficient of thermal expansion, whereas there is no teaching or

suggestion in Curcio that having a high coefficient of thermal expansion is a purpose of having a conductive adhesive between contact pads.

Additionally, Applicant contends that Curcio cannot be used as prior art in rejecting claims of the present patent application, because "[c]ffective November 29, 1999, subject matter which was prior art under former 35 U.S.C. 103 via 35 U.S.C. 102(e) is now disqualified as prior art against the claimed invention if that subject matter and the claimed invention 'were, at the time the invention was made, owned by the same person or subject to assignment by the same person.'" MPEP 706.02(1)(1). First, the present patent was filed on June 19, 2001 which is after November 29, 1999. Second, the Curcio patent is being considered by the Examiner as prior art under former 35 U.S.C. 103 via 35 U.S.C. 102(e), because the Curcio patent issued on January 7, 2003 which is after the filing date of June 19, 2001 of the present patent application. Third, both the subject matter of Curcio patent and the claimed invention of the present patent application were, at the time the invention was made, owned by International Business Machines Corporation or subject to assignment by International Business Machines Corporation. Accordingly, Applicant respectfully maintains that Curcio cannot be used as a prior art reference.

Based on the preceding arguments, Applicants respectfully maintain that claim 37 is not unpatentable over Curcio in view of CCD, and that claim 37 is in condition for allowance.

35 U.S.C. §103(a): Claims 38-39

The Examiner rejected claims 38-39 under 35 U.S.C. §103(a) as allegedly being anticipated by Rosenthal et al. (US Patent 3,105,729) in view of Reimann ('497).

As an initial point, Applicants maintain that the rejection of claims 38-39 is improper because a claim cannot be anticipated under 35 U.S.C. §103(a) and also because a claim cannot be anticipated by a combination of references.

In addition, Applicants respectfully contend that claim 38 is not unpatentable over Rosenthal in view of Reimann, because Rosenthal in view of Reimann does not teach or suggest each and every feature of claim 38. For example, Rosenthal in view of Reimann does not teach or suggest "impacting the surface of the laminate by the conductive element, wherein said impacting forms a hole in the laminate".

The Examiner argues that in Rosenberg, the panel 20 is the laminate of claim 38, the sphere 22 is the conductive element of claim 38, and the hole 30 in FIG. 6 is the hole of claim 38 allegedly formed by the sphere 22 upon impacting the surface of the panel 20.

In response, Applicants respectfully contend that the hole 30 is preformed prior to insertion of the sphere 22 therein and is not formed by the sphere 22 upon impacting the surface of the panel 20. The hole 30 is just an embodiment of the of the hole 21 of FIG. 1 and the hole 21 of FIG. 1 is clearly a preformed hole. See Rosenthal, col. 2, lines 34-36 ("Referring to FIGURES 1, 2, and 5, a deformable panel 20 is formed with an aperture 21 for receiving a conductive sphere 22"). The remaining Figures, including FIG. 6, are variants of FIG. 1 in which conductors are disposed in the hole in different geometrical configurations. For FIG. 4, Rosenthal recites in col. 2, line 53: "When the sphere 22 is pushed into the aperture ...". For FIG.

6, Rosenthal recites in col. 2, lines: "The wires are first placed in the hole, then the sphere is pressed into the hole in the position shown". Applicants contend that it is clear from the language in Rosenthal that the hole is preformed in the panel 20 and is not formed by the sphere 22 upon impacting the surface of the panel 20 as alleged by the Examiner.

Based on the preceding arguments, Applicants respectfully maintain that claim 38 is not unpatentable over Rosenthal in view of Reimann, and that claim 38 is in condition for allowance. Since claim 39 depends from claim 38, Applicants contend that claim 39 is likewise in condition for allowance.

CONCLUSION

Based on the preceding arguments, Applicants respectfully believe that all pending claims and the entire application meet the acceptance criteria for allowance and therefore request favorable action. If the Examiner believes that anything further would be helpful to place the application in better condition for allowance, Applicants invite the Examiner to contact Applicants' representative at the telephone number listed below. The Director is hereby authorized to charge and/or credit Deposit Account 09-0547.

Date: 11/29/2004

Jack P. Friedman
Jack P. Friedman
Registration No. 44,688

Schmeiser, Olsen & Watts
3 Lear Jet Lane, Suite 201
Latham, New York 12110
(518) 220-1850

09/884,778

25